[10th April 1958

Coleroon Bridge

* 704 *Q.*—SRI A. V. P. ASAITHAMBI : Will the Hon. the Minister for Public Works be pleased to state—

(*a*) the rate of tolls levied on lorries, buses, cars, etc., using the Coleroon Bridge;

(*b*) for what purposes;

(*c*) by whom;

(*d*) the amount collected so far in 1957–58; and

(*e*) how long the levy of tolls will be continued?

THE HON. SRI P. KAKKAN : (*a*) *to* (*e*) The attention of the Member is invited to the paper [a] laid on the Table of the House.

SRI A. V. P. ASAITHAMBI : இம்மாதிரி கட்டணம் வசூலிக்கப் படுவது கொள்ளடம் பாலத்திற்கு மாத்திரம் வசூலிக்கப்படுகிறதா, மற்ற இடங்களிலும் வசூலிக்கப்படுகிறதா ? சர்க்காரே இந்தப் பாலத்தைக் கட்டிய தால் இந்தப் பாலத்திற்கு வெகுவாக வசூலிக்கப்படுவது ஏன் ?

THE HON. SRI P. KAKKAN : இப்படி வசூலிப்பது கொள்ளடம் பாலத்திற்கு மட்டும் அல்ல. கொள்ளடம் பாலத்துடன், முக்காணி பாலத் திலும், தாண்டிக்குடி காட்டு ரோட்டிலும் இப்படியே வசூலிக்கப்பட்டு வருகிறது. தஞ்சை ஜில்லாவுக்கும், தென் ஆற்காடு ஜில்லாவும் அதைக் கட்டுவதற்கு ஈவு கொடுத்திருப்பதால் அப்படி வசூலிக்கப்படுகிறது. அதைத் திருப்பிக்கொடுக்க வேண்டியதாக இருப்பதால் இப்படி வசூலிக்கப்படுகிறது.

Culvert in Anumanthai

* 705 *Q.*—SRI A. R. SUBBIAH MUDALIAR : Will the Hon. the Minister for Public Works be pleased to state the present stage of the construction of a culvert in Anumanthai at 4-2/3 of the Tenkasi-Madurai road, included in Part II Scheme of 1957–58?

THE HON. SRI P. KAKKAN : There is no proposal to construct a culvert in Anumanthai at mile 4–2/3 of the Tenkasi-Madurai road as it is not found necessary to construct one at this place. The Government have, however, sanctioned the realignment and reconstruction of a bridge across the Hanuma Nadhi at mile 4/5 of the Tenkasi-Madurai road after consideration as a Part II Scheme for 1957–58. It is expected that technical sanction will be accorded to the detailed estimate for the bridge work shortly and work taken up for execution soon.

SRI A. R. SUBBIAH MUDALIAR : கடந்த நான்கு வருஷங் களாக இதற்கு டெக்னிகல் சாங்க்ஷன் கொடுக்கப்பட்டு வருகிறது என்று சொல்லுகிறார்கள். கூடிய சீக்கிரத்தில் அதற்கு வேண்டிய நடவடிக்கை களை சர்க்கார் எடுத்துக்கொண்டு அதற்கு வேண்டிய உத்தரவையும் போடு வார்களா என்பதை அறிய விரும்புகிறேன்.

THE HON. SRI M. A. MANICKAVELU : கூடியசீக்கிரத்தில் அது எடுத்துக்கொள்ளப்படும்.

கேள்வி எண் 706 கனம் டேனியல் இடத்தில் இல்லாததால் அவருடைய கேள்வியும் பதிலும் நடவடிக்கையின் அறிக்கையில் அச்சடிக்கப்படும்.

---

a Printed as Appendix VII on pages 582–583 infra.